

Staff Responses to Council Questions
January 8, 2013

6. Consent Agenda C. Resolution: Abrogate a Portion of a Public Utility and Drainage Easement at 5432 Bending Oaks Place

I assume that because this is an abrogation of easement and not a sale that there is no money involved.
Correct.

8. First Reading B. Ordinance: Approve a Final Planned Development Amendment to Planned Development #19 to Increase the Time Period Allowable for Display of a Banner

Has the Village granted any other similar variations for temporary signs (size of temp signs, length of display of temp signs)?

The only other similar approval was given in 2008. Carlucci's was approved to display six 100-square foot banners for up to six weeks per banner per year (essentially 36 weeks total). The banners are used to advertise special events (e.g. Mother's Day brunch).

Non-Agenda Questions

Have there been any lot consolidations approved this last week? If so, please provide address(es) and names of petitioner(s) and number of lots consolidated in each request.

No, there have not been any lot consolidations approved in the last week.

From the Managers report, we are saving over \$298 k less the \$35 K for the study. How much was spent on the repairs so that we have a better idea of net savings?

There were 28 leaking hydrants with an average repair cost of \$200/hydrant in staff time.

There were 4 service leaks and one leaking valve, with an average staff time cost of \$2,000/repair.

There were 7 main breaks with an average staff time cost of \$3,000/repair.

The total repair cost is estimated to be \$36,600.

All the repairs were completed on straight time and include labor, equipment and materials.